SECTION-1 TABLE — A: TIME AND WORK FRAME

FOR THE WORK UNDER- STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA.

MANUAL BIDS SHALL NOT BE ACCEPTED.

CRITICAL DATE SHEET

1.	Date of issue of Tender	15/10/2018
2.	Bid Document Download / Sale Start Date	15/10/2018
3.	Bid Submission Closing Date	30/10/2018 at 15:00
4.	Date of opening of Financial bid	31/10/2018 at 15:30
5.	Validity of Bid	120 days from the date of opening.

The Archaeological Survey of India invites Online Bids in the prescribed form under the Single Bid system i.e. Financial Bid for Job work STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA.

1. The system of e-tendering shall be adopted, comprising of the Financial Bid. Document Download: Tender documents may be downloaded from CPPP site https://eprocure.gov.in/eprocure/app as per the schedule as given in CRITICAL DATE SHEET. Financial Bid should, inter alia, indicate item-wise price and other commercial / financial terms against the items mentioned in the Tender Documents.

2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing (a) Financial Bid, clearly mentioning (i) 'Financial Proposal' respectively. Such proposals are to be submitted online within the stipulated date and time as mentioned in the Tender document and as given in CRITICAL DATE SHEET.

Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

4. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of tender earnest money must be delivered to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE AGRA, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical date sheet. Tenderer shall likely to be liable for legal action for non-submission of original payment instrument like DD, FDR etc. against the submitted Bid.

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC) or Ministry of Culture, as per rule.

- 5. The EMD be submitted in the form of FDR in favour of :
- 1. THE SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, AGRA.
- 2. Tender fee should be submitted separately in form of Demand Draft.

Estimated Cost Of Tender: RS.16,30,435.00(RS. SIXTEEN LAKHS THIRTY THOUSAND FOUR HUNDRED THIRTY FIVE) ONLY.

Address for communication, are as given below: -

Contact Details:

Contact Person	SUPERINTENDING ARCHAEOLOGIST
Address for communication	SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra
	e-mail – circleagra.asi@gov.in
Contact No.	0562- 2227261

FILE NO-3/SKD/13/2018-2019/W **GOVERNMENT OF INDIA** Office of the Superintending Archaeologist Archaeological Survey of India Agra Circle, 22 Mall Road, Agra 282001 NOTICE INVITING TENDER

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, on the behalf of the President of India, invites tender through CPP Portal for the following works as per specification given below under the work STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA from the approved/registered contractors of Archaeological Survey of India/ CPWD or any Central Government Department

Eligibility Criteria: -

The firm/Agency should have registration with ASI/CPWD or any Central Government Department etc.

The firm should have GST registration.

The firm should have the last Two financial years (2015-2016 and 2016-2017) Income tax return.

The firm should have experience for same type of work.

The eligible Contractors may upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app. upto 15:00 hours

of 30/10/2018 which will be opened on dated 31/10/2018 at 15:30 hours.

ESTIMATED COST RS.16,30,435.00(RS. SIXTEEN LAKHS EARNEST MONEY RS. 40 761.00 RS. FORTY THRTY THOUSAND FOUR HUNDRED THIRTY FIVE) ONLY.

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL"

SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

Time allowed for completion of work will be 120 days which will be reckoned after fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

Conditions and tender forms can be downloaded from our ASI website www.asiagracircle.in w.e.f. 15/10/2018 to 30/10/2018 upto 15:00 hours of each day.

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 31/10/2018 AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

Tender documents are available in the ASI website www.asiagracircle.in and e-portal eprocure.gov.in. The tenderer must attach the copy of DD (issued r before last date of selling the tender form) of Rs.500/ (Rupees FIVE HUNDRED only) as cost of tender form (Non-refundable) in favour of SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE and EMD should be deposited in the form of FDR to the ASI, Agra Circle Office before the date of opening the tender

LIST OF JOB WORK

NAME OF WORK: STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA

No.	Description of execution of work	Quant	ity	
	Stained pointing with Lime mortar (1 Lime : 1 Surkhi : 1 C. Sand) racking out of joints of Stone masonry wall including supply of materials, labour T&P etc. required for proper completion of work.	1005.45	sqm	
,	Recessed pointing with Lime Mortar (1 Lime: 1Surkhi: 1C.sand) after racking out of joints of lakhuri brick wall including supply of all materials, labour T&P etc. required for proper completion of work.	536.82	sqm	
).	Stained pointing on red sand stone work with ratio composit lime mortar (1 Lime : 1 Surkhi : 1 c.Sand) mixed with red oxide as a pigment including out joints etc. including supply of all material labour T & P etc.required for proper completion of work upto 300 mtr. & lift upto 40 mtr.			
	Flush Pointing on brick work with cement mortar (1:3) including supply of all material labour T & P etc.required for proper completion of work upto 300 mtr. & lift upto 40 mtr.	163.5	sqm	
	Dismentalling of bricks flooring manually without disturbing the adjucent structure including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge, required for proper completion of work.			
3.	Dismentalling of lime concrete manually and disposal of material within 50 metres lead as per direction of Engineerin- charge, required for proper completion of work.			
7	Dismentling of old and decayed lime plaster and raking the joints on walls including disposal of dismantled materials away from site to a lead 50m. including supply of all materials labour T & P etc. required for proper completion of work.			
3.	Dismentalling of cement concrete manually including disposal of material within 50 metres lead as per direction of Engineer - in - charge			
,	Dismentalling of brick work in cement mortar manually including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge within a distance of 300m.		Cum	
10.	Brick masonry work in cement mortar 1:4 ratio (1 cement, 4 c. sand) in super structure above plinth level up to floor using first class bricks tiles of class designation 75 including curing etc as per direction of Engineer-in-charge.		Cum	
11	Providing & laying in position Lime concrete with brick aggregate of 1st class lakhauri brick 20 mm nominal size & 50% composite lime mortar (1 U.Lime: 1 Surkhi: 1 C. sand) in over the plinth level with supply of all materials labours T&P etc. required for proper completion of work.			
12	Lakhauri brick Masonary with composite lime mortar (1 Lime: 1 Surkhi: 1 C. Sand) in and super structure including supply of all materials, labours T &P etc. required for proper completion of work.	5.69	cum	

13.	Providing & Laying 30mm Plain lime plaster on the wall etc. With lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 c sand) including supply of all materials labour T&P. e.t.c required for proper completion of work.			
14.	Edging of old ancient plaster up to height 10 m av. with 1:1:1(1 lime, 1C. sand, 1 surkhi) including supply of all materials labour T. & P. etc required for proper completion of work.			
15	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with : Cement mortar 1:6 (1 cement : 6 coarse sand)			
16:	Providing and laying in position cement concrete of 1:2:4 (1 cement : 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)excluding the cost of centering and shuttering e.t.c.			
17.	Providing & Fixing Red sand stone member (Chowkhat and Dasa) etc fine dressed of all exposed surface with Lime mortar (1 U.Lime : 1 Surkhi : 1 C.Sand) including supply of all meterials labour T & P etc. required proper completion of work.			
18.	Earth work in excavation in all kind of soils in foundation trenches and drains not exceeding 1.5m in width on 10sqm on plan including dressing of all sides and ramming bottoms including disposal of excavated earth upto 50mt. and lift upto 1.5m as directed by Engineer-in-Charge.			
19.	Steel reinforcement (Mild steel and Medium Tensile steel bars) for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.			
20	Centering and shuttering including strutting, propping etc. and removal of form for all heights Foundations, footings, bases of columns, etc. for mass concrete			
21	Reinforced cement concrete work in walls (any thickness), including attached plasters, columns, pillars foundation and above plinth excluding cost of centering, shuttering, finishing and reinforcement 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size).		cum	
22	Providing and laying 12mm thick cement plaster mixed in ratio 1:4 (1 cement: 4 fine sand) including supply of all materials labours T&P etc. required for proper completion of work.	6.47	sqm	
23	Provision for repairing of of M.S Angle iron main gate size (3.10x5.00m) as required Including Aldrop M.s Angle iron Hole fast, square bar, M.S strip, M.S plate including labour charges etc at site (As per requirement).	1	Job	
24	Providing and fixing glazing in With float glass panes of 4.0 mm thickness, window, ventilator shutters etc. beading nails putty etc. complete as per the directions of Engineer-in-charge.	11.40	sqm	
25	Providing & fixing 0.60 mt. high M.S.Grill fencing of required design made of (40x40x5)mm angle iron frame with 12mm Square Bar set with, brick aggregate 25 mm nominal size & in (20x20x30)cm. Cement concrete block including supply of all materials labours T&P etc. required for proper completion of work.		kgs	
26	Repairing of M.S angle iron grill at site incitu including supply of all material T& P etc required for proper complition of work(As per requirement).		job	
27/	Providing and fixing M.S. Iron Gate(1.20mt x 1.50mt) & (1.10mt x 2.00mt) of required design made of (50x50x6) mm angle iron frame with 12 mm Square bar and M.S. strips (50x6) welded with Iron mesh jali (20x50), with hold fast & aldrop complete framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete etc. required for proper completion of work.			
28	Removal of Dumped malwa lying in the underground cells by manual labour and throwing by tractor trolly from monument to out side of Municipal limits.	200.00	cum	
29	Painting Steel work with Enamel Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture 90.00/sqm	1010.66	sqm	

Evaluation Criteria
1- All documents to be uploaded in CPPP portal properly.
2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest bid of all the items.

Superintending Archaeologist

TERMS AND CONDITION FOR SUBMISSION OF TENDER

1. Tenders are hereby invited on behalf of the President of India. For work under Estimated cost of RS.16,30,435.00(RS. SIXTEEN LAKHS

THIRTY THOUSAND FOUR HUNDRED THIRTY FIVE) ONLY.

- 2. Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website- www.asi.nic.in and e-portal eprocure gov in from 15/10/2018 to 30/10/2018.
- 2 (a) The site of the work is available, or the site for the work shall be made available by the department.
- . The Contractors should upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app. upto 15:00 hours of 30/10/2018 which will be opened on dated 31/10/2018 at 15:30 hours.
- 2. The tender form can be downloaded from our website- www.asi.nic.in and e-portal eprocure.gov.in . The tenderer must attach a DD (issued on or before last date of selling the tender form) of Rs. 500/ (RUPES FIVE HUNDRED) ONLY, as cost of tender form (Non-refundable) in favour of SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, AGRA while
- 3. The time allowed for the work will be 120 days which will be reckoned after fifteen days from the date of issue of order to commence work
- 4. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite
- 5 When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate contractors the rates or the amounts tendered should by attested by a witness.

 6. Issue of tender form will be stopped one days before the date fixed for opening of tender
- Earnest money amounting of RS. 40.761.00 RS. FORTY THOUSAND SEVEN HUNDRED SIXTY ONE)

ONLY. (unless exempted) in deposit at call received /FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender

8. The contractor whose tender is accepted (unless exempted) will be required to be furnish by way of security deposit for the due fulfillment of his contract l) In the case of works costing upto Rs. 1,00,000/- to 10% of the estimated cost of work put to tender.

- In the case of works costing upto Rs. 1,00,000/- to 10% of the estimated cost of work put to tender.

 In the case of works costing more than Rs.1,00,000/- and upto 2,00,000/- to 10% on the first Rs.1,00,000/- and 7 % on the balance.

 In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7% on the next Rs. 1,00,000/- and 5% on the balance amount.

 The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeological Survey of India, Agra Circle, Agra. Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the shape of Government securities. Fixed deposit receipt of schedule banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve
- 10. The right of acceptance of a tender will with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA,

AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.

11. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection.

12. All rates shall be quoted on the proper form of the tender alone.

13. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.

- 14. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge shall be communicated to the Engineer in charge.
- charge shall be communicated to the Engineer in charge.

 15-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and case of words the word (Rupees) should proceed and the word only it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only should be written closely following the amount and it should not be written in the next line.

 16. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and

- 17. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.

 18. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.
- 19. The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest
- noney absolutely

 O Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so.

 1 The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection.

22 The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender.

22. The copy of uploaded document should be submitted to this office along with the EwiD and tenders fee before opening of tender.

Should this tender be accepted, I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions.

A sum of Rs. ______ (Rupees_______ is herewith forwarded in F.D.R. vide No. _______ dated ______ as earnest money and a sum of Rs. _______ (Rs. _________) in the form of DD. If I /we fails to commence the work as specified in the above memorandum or is I/we fail to deposit the amount of security deposit specified against (ii) a in the above memorandum in accordance with the clause I of the said conditions of contract. I/we agree that the said President of India or his successor in office shall/without prejudice to any other right or remedy, shall be retained by him towards such security deposit. I/we further agree that the said President of India or his successor in office shall also be at liberty to cancel the acceptance of the tender if I / we fail to deposit security appoint as aforesaid. amount as aforesaid

SIGNATURE AND ADDRESS OF CONTRACTOR Phone No. Mob. No. :--PAN No Signature & address of witness to signature of tenderer

The above tender is hereby accepted by me on behalf of the President of India

Signature of the officer by whom THE TENDER IS ACCEPTED



FILE NO-3/SKD/13/2018-2019/W
GOVERNMENT OF INDIA
OFFICE OF SUPERINTENDING ARCHAEOLOGIST
ARCHAEOLOGICAL SURVEY OF INDIA
AGRA CIRCLE, THE 22 MALL ROAD, AGRA

DATE OF OPENING: 31/10/2018 at 15.30 Hrs.TENDER DOWNLOADED TILL 30/10/2018 at 15.00 Hrs.

NAME OF WORK: STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA.

I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contractor: -

MEMORANDUM

- (I) EARNEST MONEY RS. 40.761.00 RS. FORTY THOUSAND SEVEN HUNDRED SIXTY ONE) ONLY.
- (II) SECURITY DEPOSIT Rs.93,522.00(Rs. NINETY THREE THOUSAND FIVE HUNDRED TWENTY TWO) ONLY.
- (III) PAYABLE IMMEDIATE ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) -----
- (IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government
- (V) PLACE OF WORK- KANCH MAHAL SIKANDRA AGRA.

No.	Description of execution of work		Quantity		
1.	Stained pointing with Lime mortar (1 Lime: 1 Surkhi: 1 C. Sand) racking out of joints of Stone masonry wall including upply of materials, labour T&P etc. required for proper completion of work.				
2	Recessed pointing with Lime Mortar (1 Lime: 1Surkhi: 1C.sand) after racking out of joints of lakhuri brick wall including supply of all materials, labour T&P etc. required for proper completion of work.				
3	Stained pointing on red sand stone work with ratio composit lime mortar (1 Lime : 1 Surkhi : 1 c.Sand) mixed with red oxide as a pigment including out joints etc. including supply of all material labour T & P etc.required for proper completion of work upto 300 mtr. & lift upto 40 mtr.				
4	Flush Pointing on brick work with cement mortar (1:3) including supply of all material labour T & P etc.required for proper completion of work upto 300 mtr. & lift upto 40 mtr.				
5	Dismentalling of bricks flooring manually without disturbing the adjucent structure including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge, required for proper completion of work.				
6	Dismentalling of lime concrete manually and disposal of material within 50 metres lead as per direction of Engineerin- charge, required for proper completion of work.				
7.	Dismentling of old and decayed lime plaster and raking the joints on walls including disposal of dismantled materials away from site to a lead 50m. including supply of all materials labour T & P etc. required for proper completion of work.				
8.	Dismentalling of cement concrete manually including disposal of material within 50 metres lead as per direction of Engineer - in - charge				
9	Dismentalling of brick work in cement mortar manually including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge within a distance of 300m.				
10	Brick masonry work in cement mortar 1:4 ratio (1 cement, 4 c. sand) in super structure above plinth level up to floor using first class bricks tiles of class designation 75 including curing etc as per direction of Engineer-in-charge.				
11.	Providing & laying in position Lime concrete with brick aggregate of lst class lakhauri brick 20 mm nominal size & 50% composite lime mortar (1 U.Lime : 1 Surkhi : 1 C. sand) in over the plinth level with supply of all materials labours T&P etc. required for proper completion of work.				
12	Lakhauri brick Masonary with composite lime mortar (1 Lime : 1 Surkhi: 1 C. Sand) in and super structure including supply of all materials, labours T &P etc. required for proper completion of work.				
13	Providing & Laying 30mm Plain lime plaster on the wall etc. With lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 c sand) including supply of all materials labour T&P. e.t.c required for proper completion of work.				
14.	Edging of old ancient plaster up to height 10 m av. with 1:1:1(1 lime, 1C. sand, 1 surkhi) including supply of all materials labour T. & P. etc required for proper completion of work.	16.15	Sqm		

15	Random rubble masonry with hard stone in foundation and plinth iricluding levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with : Cement mortar 1:6 (1 cement : 6 coarse sand)	8.60	cum	
16	Providing and laying in position cement concrete of 1:2:4 (1 cement : 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)excluding the cost of centering and shuttering e.t.c.	5.75	cum	
17	Providing & Fixing Red sand stone member (Chowkhat and Dasa) etc fine dressed of all exposed surface with Lime mortar (1 U.Lime : 1 Surkhi : 1 C.Sand) including supply of all meterials labour T & P etc. required proper completion of work.	0.25	cum	
18.	Earth work in excavation in all kind of soils in foundation trenches and drains not exceeding 1.5m in width on 10sqm on plan including dressing of all sides and ramming bottoms including disposal of excavated earth upto 50mt. and lift upto 1.5m as directed by Engineer-in-Charge.	1.07	cum	
19	Steel reinforcement (Mild steel and Medium Tensile steel bars) for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.	129.44	kg	
20	Centering and shuttering including strutting, propping etc. and removal of form for all heights Foundations, footings, bases of columns, etc. for mass concrete			
21.	Reinforced cement concrete work in walls (any thickness), including attached plasters, columns, pillars foundation and above plinth excluding cost of centering, shuttering, finishing and reinforcement 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size).			
22	Providing and laying 12mm thick cement plaster mixed in ratio 1:4 (1 cement: 4 fine sand) including supply of all materials labours T&P etc. required for proper completion of work.	6.47	sqm	
23	Provision for repairing of of M.S Angle iron main gate size (3.10x5.00m) as required Including Aldrop M.s Angle iron ,Hole fast,square bar,M.S strip, M.S plate including labour charges etc at site (As per requirement).		Job	
24	Providing and fixing glazing in With float glass panes of 4.0 mm thickness, window, ventilator shutters etc. beading nails putty etc. complete as per the directions of Engineer-in-charge.		sqm	
25	Providing & fixing 0.60 mt. high M.S.Grill fencing of required design made of (40x40x5)mm angle iron frame with 12mm Square Bar set with, brick aggregate 25 mm nominal size & in (20x20x30)cm. Cement concrete block including supply of all materials labours T&P etc. required for proper completion of work.	36.39	kgs	
26	Repairing of M.S angle iron grill at site incitu including supply of all material T& P etc required for proper complition of work(As per requirement).		job	
27	Providing and fixing M.S. Iron Gate(1.20mt x 1.50mt) & (1.10mt x 2.00mt) of required design made of (50x50x6) mm angle iron frame with 12 mm Square bar and M.S. strips (50x6) welded with Iron mesh jali (20x50), with hold fast & aldrop complete framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete etc. required for proper completion of work.		kgs	
28.	Removal of Dumped malwa lying in the underground cells by manual labour and throwing by tractor trolly from monument to out side of Municipal limits	200.00	cum	
29.	Painting Steel work with Enamel Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture 90.00/sqm	1010.66	sqm	

SIGNATURE OF CONTRACTOR

ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/ CONTRACTOR

The tendering Job work Company/Firm/Agency/Contractor should submit the following documents (self-attested copy).

SI. NO.	REQUIREMENT	COPY OF RELEVENT DOCUMENT	Enclosed Yes/No	PAGE NO. Of Bid Document
1.	The firm/Agency should have registration with ASI/CPWD or any central Government department.	Copy enclosed	YES/NO	
2.	The Company / Firm/ Agency/ Contractor should be registered with GST.	Copy of Registration Certificate/ Number	YES/NO	
3.	Income Tax Return for two year 2015-2016 and 2016-2017.	Copy of ITR	YES/NO	
4.	The Company/ Firm/ Agency/ Contractor should have experience for same type of work.	Copy of work orders.	YES/NO	
5.	EMD (in FDR form) and Tender Fee(in DD form) in favour of S.A. Agra Circle, Agra	Copy enclosed	YES/NO	
6.	Acceptance Letter	Copy of acceptance letter	YES/NO	

AUTHORISED SIGNATORY

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app. REGISTRATION

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge.
 As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile. 4)
- 5) Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through 2) SMS / e-mail in case there is any corrigendum issued to the tender document.
- The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help 3) from the Helpdesk

PREPARATION OF BIDS

Bidder should take into account any corrigendum published on the tender document before submitting their Bids.

- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted 2) as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection
- Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process.

SUBMISSION OF BIDS

Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.

- The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

 Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

 Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the Bidder, the Bid will be rejected.

6) The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.

All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.

- The uploaded tender documents become readable only after the tender opening by the authorized Bid openers.

 Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid with all other relevant details. with all other relevant details.
- The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used as an entry pass for any Bid opening meetings.

ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002.

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Date:

To.

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 3/SKD/13/2018-2019/W (PIN CODE 282007)
NAME OF TENDER / WORK: - STRUCTURAL REPAIRS TO KANCH MAHAL AT
THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA.
Dear Sir.

- 1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of STRUCTURAL REPAIRS TO KANCH MAHAL AT THE SOUTH EAST CONEROF AKBARS TOMB SIKANDRA AGRA.
- 2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.
- 4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder) with Official Seal

Design for M.S. Iron Gate


1.10m

M s angle iron
(50x50x6)

M S Strips
(50x6)

12 mm
Square Bar

Spm Jali (20x50)



Conservation Assistant Sub Circle Sikandra, Agra A.S.A.E. Agra Circle Agra Dy.S.A.E Agra Circle Agra Superintending Archaeologist Agra Circle, Agra

2.00m