

प्रत्नकीर्तिमपावृणु

## SECTION-1 TABLE — A: TIME AND WORK FRAME

**EXECUTION OF WORK** 

## FOR THE WORK UNDER- PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA

MANUAL BIDS SHALL NOT BE ACCEPTED.

## CRITICAL DATE SHEET

1.	Bid Start Date	ATE SHEET
2.	Bid Document Download / Sale Start Date	21/00/2000
3.	Bid Submission Closing Date	21/09/2023
1.	Technical Bid Opening Date	11/10/2023at 15:00
j.		12/10/2023at 15:30
	Financial Bid Opening Date/Time	After Opening Technical Bid
	Validity of Bid	120 days from the date of opening.



The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site https://eprocure.gov.in/eprocure/app as per the schedule as given in CRITICAL DATE SHEET. 2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

## 3. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.

4. Tender cost Of Tender: RS. 29,34,047/- (Rs. TWENTY NINE LAKHS THIRTY FOUR

### -: Contact Details:-

Contact Person	-: Contact Details:-
017 013011	SUPERINTENDING ARCHAEOLOGIST
Address for communication	SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA
Contact No.	e-mail – circleagra.asi@gov.in
	0562- 2227261





#### FILE NO-03/TAJ/82/2022-2023/W GOVERNMENT OF INDIA

भारत सरकार

Office of the Superintending Archaeologist कार्यालय अधीक्षण पुरातत्वविद Archaeological Survey of India भारतीय पुरातत्व सर्वेक्षण Agra Circle, 22 Mall Road, Agra 282001 आगरा मण्डल, 22 माल रोड, आगरा 282001

NOTICE INVITING TENDER निविदा आमंत्रण सूचना

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, invites e-tender on the behalf of the President of India, through CPP Portal for the following works as per specification given below under the work PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA from the registered contractors of Archaeological Survey of India or any Central Government Department.

अधीक्षण पुरातत्विवद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सी0 पी0 पीर्टल के माध्यम से कार्य PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA हेतु भारतीय पुरातत्व सर्वेक्षण या केंद्र सरकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता है। Eligibility Criteria: -

पात्रता मापदंड:-

- <sup>10</sup> The firm/Agency should have registration in ASI / State PWD or any Central Government Department
- क. फर्म / एजेंसी का सिविल कार्यों के लिये भारतीय पुरातत्व सर्वेक्षण / राज्य पी०डबल्यू०डी० या केंद्र सरकार के
- 3. The firm/Agency should have GST registration.
- ख. फर्म / एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।
- 4. Pan Card.
- ग. पेन कार्ड।
- 5. The Firm/Agency should have income tax return for three financial year 2019-2020, 2020-2021 and 2021-
- घ. फर्म / एजेंसी को तीन वित्तीय वर्ष 2019-2020, 2020-2021 एवं 2021-2022 (निर्धारण वर्ष 2020-2021, 2021-2022
- 6. The firm/agency should have average annual financial turnover during three financial year ( 2019-2020, 2020-2021 and 2021-2022), should be at least 30% of the tender cost i.e. Rs. 8,80,214/-. A certificate in
- च. फर्म /एजेंसी के पास 3 वित्तीय वर्षों (2019–2020, 2020–2021 एवं 2021–2022)के दौरान औसत वार्षिक वित्तीय करोबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 8,80,214/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रुप में प्रस्तुत करना होगा।
- 7. The firm / agency should have experience for completion of three similar nature of work each costing not less than 40% of the tender cost i.e. 11,73,619/- OR Two Similar Nature of works each Costing not less than 50% of the tender cost i.e. Rs. 14,67,024/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 23,47,238/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2016-2017 to 2022-2023.
  - (Similar Nature of Work Means:- the bidders should have the experience in execution of Civil Works at heritage site/heritage building/monuments)
- 8ण 7ण फर्म/एजेंसी के पास समान प्रकृति के तीन कार्य पूरा करने का अनुभव होना चाहिएए प्रत्येक की लागत निविदा लागत का 40ः से कम नहीं होनी चाहिए यानी 11,73,619/- या दो समान प्रकृति के कार्यए प्रत्येक की लागत निविदा की 50 से कम नहीं होनी चाहिए। लागत यानी रू 14,67,024/- या समान प्रकृति के एक कार्य की लागत निविदा लागत का 80 से कम नहीं होनी चाहिए अर्थात रु. 23,47,238/- तथा वह वि कार्य/कार्य पिछले सात वित्तीय वर्षों के दौरान पूर्ण किये गये होने चाहिए। यानी 2016.2017 से 2022.2023 तक.

9. कार्य की समान प्रकृति का अर्थ है:- बोलीदाताओं को विरासत स्थल/विरासत भवन/स्मारकों पर सिविल कार्यों के निष्पादन में अनुभव होना चाहिए)Copy of work order and completion certificate should be uploaded on CPP Portal as per tender

जं. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सी0 पी0 पोर्टल पर अपलोड की

The eligible Contractors may upload their tender documents online only at CPPP website: <a href="https://procure.">https://procure.</a> gov.in/ eprocure /app. upto 15:00 hours of 11/10/2023which will be opened on dated 12/10/2023at 15:30

पात्र ठेकंदार केवल सी० पी० पी० वेबसाईट <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> पर अपने निविदा दस्तावेज दिनांक 11/10/2023at 15:00 तक ऑनालाइन अपलोड कर सकते हैं जो दिनांक 12/10/2023at 15:30 खोला

TENDER COST RS. 29,34,047/- (Rs. TWENTY NINE LAKHS THIRTY FOUR THOUSAND FORTY SEVEN) ONLY अनुमानित राशि: - रु० 29,34,047/- (रु० उंतीस लाख चौंतीस हजार सैंतालीस मात्र)

EARNEST MONEY RS. 73,351/- (SEVENTY THREE THOUSAND THREE HUNDRED FIFTY ONE ONLY) अमानत राशि:— रु० 73,351/- (रु० तेहत्तर हजार तीन सौ एकावन मात्र)

(Exemption as per rules) (नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत् राशि एफ्० डी० आर० के रूप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्विवद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 90 days which will be reckoned within fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पूरा होने के लिए अनुमत समय 90 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के अंदर माना जाएगा। उन ठेकदारों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्विवद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष

Conditions and tender forms can be downloaded from our ASI website www.asiagracircle.in and eportal eprocure gov.in. w.e.f. 21/09/2023 to 11/10/2023upto 15:00 hours of each day.

निविदा शर्तें एवं प्रपत्र हमारी वेबसाईट www.asiagracircle.in और e-portal eprocure.gov.in. से दिनांक 21/09/2023 से दिनांक 11/10/2023upto 15:00 बजे तक डाउनलोंड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 12/10/2023AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीकि बोलियां बोलीदाताओं के अधिकृत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रूप से उपस्थिति में दिनांक 12/10/2023 को 15:30 बजे खोली

Tender documents are available in the ASI website www.asiagracircle.in and e-portal eprocure.gov.in. The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date of opening the tender.

भारतीय पुरातत्व सर्वेक्षण, आगरा की वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकि निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में अमानत

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all parties in all circumstances.

भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने या वापस लेने या किसी भी नोटिस दिए बिना या कोई कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस सम्बंध में भारतीय पुरातत्व सर्वेक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा।

NAME OF WORK: PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA

component given below - (1) Capacity - 1000 LPH. (2) Working Pressure - 10-12 Bar. Membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 40 x 4 (5) Membrane Housing - 80 x 40 x 2, (7) Flow Meter - Pure water & waste water, (8) (9) Water quality indicator - On line TDS meter, (10) Electrical Controls - Main Supply On/Off, Over load protection, High Pressure Pump : On/Off, Membrane feed and reject). On/Off, Over load protection, High Pressure Pump : On/Off, Saw water pump (11) Frame/skid - Stainless steel, (12) Solenoid valve 1", (13) Pre Filtration - sand filter Turbidity < 1 NTU, Iron < 0.1 PPM, PH : 3-11, (15) Residual Chlorine : Nil, (16) Heavy Micron filter big blue 20" with Housing Imported (20) Row water pump 2.00 HP Pipe filting UPVC (24) Storage Tank white 1000 Ltr - Rectangular (IS) for pure water with stand (26) attached in Annexure-1). (Rate Including GST).  2.00 Providing & installation of Water Chiller 2 ton cap. in 1000 Ltr. HDPE tank with all accessories required during execution of work (Rate Including GST).  3. Providing & installation of Stabilizer 5-KVA (Copper) for Chiller with all accessories & Isobour Large Required for execution of work. (Rate Including GST).  4. 25mm dia CPVC pipe line from R.O.Plant to drinking water point approximate 15mm nos. Plant. (Rate Including GST).  5. Supply of Polythene sheet 1mm thick. (Rate Including GST).  6. Supply of Folythene sheet 1mm thick. (Rate Including GST).  7. Supply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  8. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means sam on plan), including dressing of sides and ramming of bottoms. Inf with 16 not including out the excavated of sides and ramming of bottoms.	SI. SI. SI. PROVIDING DRINKING WATER FACILITY			
component given below - (1) Capacity - 1000 LPH, (2) Working Pressure - 10-12 Bar.  (3) Booster pump 2-18 - vertical pump/R. O pump 3-316 Sumo/DP/Eq. (4) Dow/GE osmonics/Eq. (5) membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 40 x 4 (6) Membrane Material - TFC with FRP outer wrap membrane size x unit - 40 x 40 x 4 (6) Membrane Housing - 80 x 40 x 2 (7) Flow Meter - Pure water & waste water. (6) (9) Water quality indicator - On line TDS meter. (10) Electrical Controls - Main Supply On/Off. Over load protection, HP Pressure Pump - On/Off. Membrane feed and reject). On/Off. Over load protection, HP Pressure Pump - On/Off. Stainless steel. (12) Solenoid valve 1". (13) Pre Filtration - sand filter (14) Feed water Requirement - Feed water Temp) (20-45 C SDI <4 Metal - Nit (17) VII. Iron <0 1 PPM. PH - 3-11, (15) Residual Chlonner. Nil. (16) Heavy Micron filter big blue 20" with Housing Imported (20) Row water pump 2 0.0 HP Pipe fitting UPVC (24) Storage Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Chiller 2 ton cap in 1000 Ltr. HDPE tank with all accessories as Socket, Elbow. Valve Tee, Solution, Dhaga etc. For 3 1.00 Metal state. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water. Floty - 2 Nos (27) SS (Gradge Tank 3000 Ltr	Description of Execution Description of Execution Description of Execution Description of Execution Description Description of Execution Description Description of Execution Description	ANOE	TA	
component given below - (1) Capacity - 1000 LPH. (2) Working Pressure 10-12 Bar. (3) Booster pump 2-18 vertical pump/RO pump SS 316 Sumo/DP/Eq. (4) Dow/GE osmonics/Eq. (5) membrane Housing - 80 x 40 x 2 (7) Flow Meter - Pure water & waste water (8) Membrane Housing - 80 x 40 x 2 (7) Flow Meter - Pure water & waste water (8) (9) Water quality indicator - Online TDS meter (10) Electrical Controls - Main Supply On/Off, Over load protection, High Pressure (10) Electrical Controls - Main Supply On/Off, Over load protection, High Pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure-Lup Pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, in the pressure Tripping, level sensor, & carbon filter, bripping, level sensor, & c	Covered and fixing R.O. plant of 1000 I talk		I AJ IVI	AHAL,
(9) Booster pump 2-18 vertical pump/RO pump SS 316 Sumo/DP/Eq. (4) Dow/GE osmonics/Eq. (5) membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 40 x 4 (6) Membrane Housing - 80 x 40 x 2 (7) Flow Meter - Pure water & waste water. (8) (9) Water quality indicator - On line TDS meter (10) Electrical Controls - Main Supply On/Off, Over load protection. High PressurePump On/Off, Raw water pump (11) Frame/skid - Stainless steel, (12) Solenoid valve 1°. (13) Pre Elitration - sand filter Turbidity - 1 NTU , Iron <0.1 PPM, PH - 3-11, (15) Residual Chlorine - Nil. (16) Heavy Micron filter (14) Feed water Requirement - Feed water Temp 20-45 C, SDI <4, Metal - Nil (17) Vassals Aventura/wava Cyber 1354, (18) M P, valve Imported 1°(19) Crompton/Kinloskarfeq (21) Pump for cleaning SS (22) Dozer unit Insectal Eq. (23) (25) Storage Tank winte 1000 Ltr. Rectangular (ISI) for pure water with stand (26) attached in Annexure-1). (Rate Including GST).  2.00 Row attached in Annexure-1, (Rate Including GST).  3. Supply & Kingl of Prismatic Tay with Cromptoning & installation of Water Chiller 2 ton cap. in 1000 Ltr. HDPE tank with all accessories required during execution of work. (Rate Including GST).  4. Supply of Polythene sheet 1mm thick. (Rate Including GST).  5. Supply & Kingl of Prismatic Tay with Crome Finish - Jaquar PRS-CHR-031G or EQ. (SST).  6. Supply of Polythene sheet 1mm thick. (Rate Including GST).  6. Supply of Polythene sheet 1mm thick. (Rate Including GST).  7. Provicing and laying creening and should receive the exceeding 1.5 m in width or 10 including getting out the exceeding 3 stail cerval of the exceeding 1.5 m in width or 10 including getting out the exceeding 3 state and ramming of bottoms. If tuplo 1.5 m including getting out the exceeding 3 state and ramming of bottoms. If tuplo 1.5 m including getting out the exceeding 3 state sand ramming of bottoms. If tuplo 1.5 m including getting out the exceeding 4 state including GST).  6. Supply of Polythene sheet 1mm thick. (Rate Including GST).				Qty.
accessories required during execution of work. (Rate Including GST).  Providing & installation of Stabilizer 5-KVA (Copper) for Chiller with all accessories.  Providing & installation of Stabilizer 5-KVA (Copper) for Chiller with all accessories.  Providing & installation of Stabilizer 5-KVA (Copper) for Chiller with all accessories.  Providing & installation of Stabilizer 5-KVA (Copper) for Chiller with all accessories.  A.00 No. (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 4 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 2 coarse sand). (Rate Including GST).  Providing and laying cement concrete 1:24 (1 cement: 4 coarse sand). (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa	(3) Booster pump 2-18 - vertical pump/R.O. pump SS 316 Sumo/DP/Ed Membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 2 (6) Membrane Housing - 80 x 40 x 2, (7) Flow Meter - Pure water & waste water (9) Water quality indicator - On line TDS meter, (10) Electrical Controls - Main Standard - Stainless steel, (12) Solenoid valve 1", (13) Pre Filtration - sand Turbidity < 1 NTU, Iron < 0.1 PPM, PH : 3-11, (15) Residual Chlorine : Nil, (16) Historian filter big blue 20" with Housing Imported (20) Row water pump 2.00 Pipe fitting UPVC (24) Storage Tank white 1000 Ltr Rectangular (ISI) for pure water with stand. (25) Providing & installation (150Kg). (Det.	n and 2 Bar, (4) 40 x 4 orted), er, (8) eject). upply imp: nsor, filter I <4, eavy (19) HP (23) ater, (26)		N
length with all accessories as Socket, Elbow, Valve, Tee, Solution, Dhaga etc. For 3  1.00 Joseph String of Prismatic Tap with Crome Finish - Jaquar PRS-CHR-031G or EQ GST).  Supply & fixing of Prismatic Tap with Crome Finish - Jaquar PRS-CHR-031G or EQ GST).  Supply of Polythene sheet 1mm thick. (Rate Including GST).  Supply of Polythene sheet 1mm thick. (Rate Including GST).  Supply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  Supply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  Earth work in excavation by mechanical means (Hydraulic excavator) / manual means sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources) (Rate Including GST).  Brick work with cement mortar 1:6 (1 cement : 3 coarse sand size derived from natural sources) (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand) (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa and base of required size & shape with one face semi discover, floor stone, dasa	accessories required to valer Chiller 2 ton can in 1999		2.00	Nos.
Supply & fixing of Prismatic Tap with Crome Finish - Jaquar PRS-CHR-031G or EQ. GST).  6. Supply of Polythene sheet 1mm thick. (Rate Including GST).  7. Supply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  8. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from modular) bricks of class designation 7.5 in foundation and plinth. (Rate Including GST).  F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand) (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand) (zone-III): 4 pigment matching to original. (Rate Including GST).  Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa montar including dasa of required size & shape with one face semi draver, floor stone, dasa	4. 25mm dia CDVC.	es.	4.00	
Supply of Polythene sheet 1mm thick. (Rate Including GST).  Supply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  Earth work in excavation by mechanical means (Hydraulic excavator) / manual means sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including GST).  Providing and laying cement concrete 1:2.4 (1 cement: 2 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2.4 (1 cement: 2 coarse sand) (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing and laying cement concrete 1:2.4 (1 cement: 2 coarse sand) (zone-III): 4 pigment matching to original. (Rate Including GST).  Cum  Cum  Cum  Cum  Cum  Cum  Cum  Cu	5. Supply & fixing of D:	3 1		Job
Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains of all kinds of soil (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including GST).  F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand) common burnt clay pigment matching to original. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Cum  Cum  Cum  Cum  Cum  Cum  Cum  Cu	Supply of Polythene sheet 1mm thick. (Rate Including GST)	ng 10	0.00	Nos.
sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including GST).  Brick work with cement mortar 1:6 (1 cement: 6 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing GST).  Providing GST).  Providing and laying red sand stone plain members as drain cover, floor stone, dasa mortar including and laying red sand stone plain members as drain cover, floor stone, dasa	Earth Work in over	30	.00	Sam
including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including GST).  F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa modular including size & shape with one face semi drave in the modular including.		10.		
including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (Rate Including GST).  Providing and laying cement concrete of specified grade excluding the cost of (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including GST).  F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth. (Rate Including GST).  Providing and laying cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa modular including size & shape with one face semi drave in the modular including.	sqm on plan) including drains of all kinds of soil (not exceeding 1.5	S '	00	Sqm.
size derived from natural sources: 6 graded stone aggregate 20 mm nominal  Brick work with cement mortar 1:6 (1 cement: 6 coarse sand) common burnt clay Including GST).  Providing and laying cement concrete 1:2.4 (1 cement: 2 coarse sand (zone-III): 4 pigment matching to original. (Rate Including GST).  Providing GST).  Providing GST).  Cum  Cum  Cum  Cum  Cum  Cum  Cum  Cu	including getting out the excavated soil and disposal of surplus excavated soil and disposal of surplus excavated soil as Providing and laying cement concrete of specified grade and the surplus excavated soil as centering and shuttering and shutt	0 n, 3.5	i3	Cum
Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 pigment matching to original. (Rate Including GST).  20 mm cement plaster on brick wall of mix: 1:4 (1 cement: 4 coarse sand). (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa mortar including size & shape with one face semi draw, including dasa.	size derived from natural sources : 6 graded stone aggregate 20 mm nominal	2.62	2	Cum
20 mm cement plaster on brick wall of mix: 1:4 (1 cement: 4 coarse sand). (Rate Including GST).  Providing and fixing red sand stone plain members as drain cover, floor stone, dasa mortar including as shape with one face semi draw including as a stone plain members.	Providing and laying cement concrete 1:2:4 (1 cement : 2 coarse and plinth. (Rate	13.06	5	Cum
and base of required size & shape with one face semi drags.	20 mm cement plaster on brick wall of mix: 1:4 (1 cement: 4 cement		(	Sum
mortar including supply of all materials, labour, T.& P. etc. required for proper completion of work including pointing. (Rate Including GST).	and base of required sand stone plain members as drain according	37.44	S	qm.
	mortar including supply of all materials, labour, T.& P. etc. required for proper completion of work including pointing. (Rate Including GST).	3:94n	ding Q	tum

14. Providing & fixing 75 mm thick fine dressed red sand stone flooring over 25 mm flime mortar 1: 1: 1 ratio (1 Unslaked Lime : 1 Coarse Sand : 1 Surkhi of 1st of the same mortar including supply of all materials, labour, T.& P. etc. required proper completion of work including pointing. (Rate Including GST).  15. Providing and fixing 18 mm thick Granite stone slab colour black, Cherry/Ruby in platforms, vanity counters, window sills of the sand stone flooring over 25 mm from the same mortar including supply of all materials, labour, T.& P. etc. required gang saw cut, mirror polished, remolded and republished, machine cut for the same mortar including supply sills of the same mortar including supply of all materials.	ting for	14.4(	0 Sq	
approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 pigment, epoxy touch ups, including rubbing, curing, molding and polishing to edges lncluding GST).  16 Providing opening of required size & shape for weak to a similar locations of required size with white cement, mixed with match give high gloss finish etc. complete at all levels. Area of slab up to 0.50 sqm. (Rapplatform, vanity and polishing to edges).	ze, (1) ing to	72.96	Sqn	
17 Taking out very carefully red sand stone floor members of a	ng ut	16.00	Nos	
18 Providing and laying vitrified floor tiles in different sizes con see	e 3, 3	6.00	Sqm.	
mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm (Rate Including GST).  19 Providing & Laying 110 mm dia PVC pipe line 10 cm. To 20 connecting water and matching pigments etc., complete.	t 41	.30	Sqm.	
Steel work Hot finished welded type tubes in built up to the finished welded type tubes in the finished welded to the finished welded type tubes in	20.	00	Rmt.	
Including welding and bolted with special shaped washers etc. complete. (Rate	619.	91	Kg.	
CP Brass single half villeous China Wash basin size 550 too morading GST).	28.8	6	Sqm.	
basin mixer of approved quality and make, including painting of fittings and brackets,  Boring 5" dia forward.	28.00	)	Nos.	
for filtration of water and fulfill with gravels around 4" dia 120' deep PVC pipe and tank.  (Rate Including GST).  /aluation Criteria  1- All documents to be uploaded in CRRD and tank.	2.00	١	Nos.	

1- All documents to be uploaded in CPPP portal properly.

2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest

3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely high or extremely Low) the same will not be considered and will be rejected

Superintending Archaeologist

# TERMS AND CONDITION FOR SUBMISSION OF TENDER

1 Tenders are hereby invited on behalf of the President of India for the work under Tender cost of RS. 29,34,047/- (Rs. TWENTY NINE

# LAKHS THIRTY FOUR THOUSAND FORTY SEVEN) ONLY

Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website- www.asiagracircle.in and e-2 (a) The site of the work is available, or the site for the work shall be made available by the department

The Contractors should upload their tender documents online only at CPPP website https://eprocure.gov.in/eprocure/app upto 15:00 hours of 11/10/2023 which will be opened on dated 12/10/2023 at 15:30 hours.

- The time allowed for the work will be 90 days which will be reckoned after fifteen days from the date of issue of order to commence work
- 3. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals.
- 4. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate
- 6 Earnest money amounting of RS. 73,351/- (SEVENTY THREE THOUSAND THREE HUNDRED FIFTY ONE ONLY) (unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender
- The contractor whose tender is accepted (unless exempted ) will be required to furnish by way of security deposit for the due fulfillment of his contract

- In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.

  II) In the case of works costing more than Rs. 1,00,000/- and upto 2,00,000/- to 10% on the first Rs. 1,00,000/- and 7 % on the balance.
- III) In the case of works costing more than Rs. 2.00,000/-, 10% on the first Rs. 1,00,000/-, 7 % on the parameter.

  The cost the provided will be described by cost costs at the form of EDR/CDB of the Destrict Rs. 1,00,000/- and 5% on the balance amount.
- 8. The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeological Survey of India Accounts and India Accounts an o. The security amount will be deposited by contractor in the form of PDR/CDR of any Bank RBI pleaged to the Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the suppose provided confirmatory advise is forthcoming from the Passeries. shape of Government securities. Fixed deposite actine or tender, will be treated as a part or the security deposit. The security amount will also be accepted in the Bank of India. Validity of bid should be minimum of 12 months.
- 9 The right of acceptance of a tender will be with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA,

AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected. 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection.

- The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.
- The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.

  13. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge. shall be communicated to the Engineer in charge
- shall be communicated to the Engineer in charge.

  14-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total 14-special care should be taken to write the rates in rigures as well as in words and the amounts in rigures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures the word Rs should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and cases. While quoting the area in the schedule of quantities the word. case of words the word (Rupees) should proceed and the word only it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only it should be written closely following the amount and it should not be written closely following the amount and it should not be written closely following the amount and it should not be written in the next line. only should be written closely following the amount and it should not be written closely following the amount and it should not be written closely following the amount and it should not be written in the next line
- 15. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and tenders shall be bound to perform the same at the rates guided.
- tenderer snall be bound to perform the same at the rates quoted.

  16. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.

  17. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is no steri GST or any other or material in respect or this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.

  The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an expect the process of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him. officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him and who are sold relative to any Caratted officer in ASLoc in the Ministry of Tourism and Culture by the contractor should in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should
- 18 The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest
- 19 Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so

20 The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection. 21. The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender.

said President of India or his successor in office shall/without prejudice to any other aforesaid	re fails to commence the work as specified in the above memorandum or is I/we fail to right or remedy shall be retained by him towards such security deposit. I/we further to cancel the acceptance of the tender if I / we fail to deposit security amount as
Phone No.	SIGNATURE AND ADDRESS
PAN No Signature & address of witness to signature of tenderer	SIGNATURE AND ADDRESS OF CONTRACTOR
2.	Mob No
The above tonday	

The above tender is hereby accepted by me on behalf of the President of India

Signature of the officer by whom THE TENDER IS ACCEPTED





FILE NO-03/TAJ/82/2022-2023/W GOVERNMENT OF INDIA OFFICE OF SUPERINTENDING ARCHAEOLOGIST ARCHAEOLOGICAL SURVEY OF INDIA AGRA CIRCLE, THE 22 MALL ROAD, AGRA

NAME & ADDRESS OF CONTRACTOR

DATE OF OPENING: 12/10/2023at 15.30 Hrs.TENDER DOWNLOADED TILL 11/10/2023at 15.00 Hrs. NAME OF WORK: PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL,

I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contractor: -

- (I) EARNEST MONEY RS. 73,351/- (SEVENTY THREE THOUSAND THREE HUNDRED FIFTY ONE ONLY) (II) SECURITY DEPOSIT Rs. 1,53,702.00 (Rs. ONE LAKH FIFTY THREE THOUSAND SEVEN HUNDRED TWO) ONLY.
- (III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) ---(IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government

	Description of execution of work		Quantity	Rate	Tota
1.	Providing and fixing R.O. plant of 1000 Ltr/hr capacity having SS st Specification and common and c			(in words	amou
FF ST TN aa P al	Working Pressure- 10-12 Bar, (3) Booster pump 2-18 - vertical pump/R.O. pun membrane size x unit - 40 x 40 x 4 Dow/GE osmonics/Eq., (5) membrane Housing Material - SS/FRP (Maxima/Imported), (6) Membrane Housing - 80 Nos. (Sand filer, Carbon filter, MCF, Membrane feed and reject), (9) Water On/Off, Over load protection, High Pressure Pump: On/Off, Raw water pump sensor, (11) Frame/skid - Stainless steel, (12) Solenoid valve 1", (13) Pressure Carbon filter, (14) Feed water Requirement - Feed water Residual Chlorine: Nil, (16) Heavy Metal: Nil (17) Vassals Aventura/wavs/Housing Imported (20) Row water pump 2.00 HP Crompton/Kriloskar/Eq. (21) Storage Tank 3000 Ltr. (Sintex/Eq Triple layer) for Row water, (25) Storage lacked in Annexure-I). (Rate Including GST).	ra, 2)	Nos		
1 1	oviding & installation of Chiling (18T)	2.00	Nos.		
15	mm length with all as R.O.Plant to drinking water point approximate	4.00	Nos.		
Su	pply & fixing of Prignation, (Rate Including GST).	1.00	Job		
Su	opply of Polythene sheet 4	10.00	Nos.		
Sul	oply of Anti Skid 10mm thick PVC mating. (Rate Including GST).  th work in excavation by mechanical materials.	30.00	Sqm.		
Ear	th work in excavation by mechanical mages (the including GST).	10.00	Sqm.		
bott	th work in excavation by mechanical means (Hydraulic excavator) / manual ans in foundation trenches or drains of all kinds of soil (not exceeding 1.5 m width or 10 sqm on plan), including dressing of sides and ramming of oms, lift upto 1.5 m, including getting out the excavated soil and disposal of plus excavated soil as directed, within a lead of 50 m. (Rate Including GST).	3.53	Cum	ntending 4	

	Providing and laying cement concrete of specified grade excluding the centering and shuttering all work up to plinth level 1:3:6 (1 Cement : 3 nominal size derived from natural sources : 6 graded stone approach.)	cost of				
10	Prick work with a Brick work w	coarse 20 mm	2.62	2 Cı	um	
11.	Providing and laying cement concrete 1:2:4 (1 cement : 2 as	n and	13.06	S Cu	m	
12.	20 mm cement plaster on brick wall of mix 1:4 (1 cement plaster).	nixed	2.45	Cui	m	
13.	dasa and have of sand stone plain members as de-		37.44	Sqn	n.	
14.	proper completion of work including pointing. (Rate Including GST).  Thick line most and the standard	d for	3.94	Cum	1	
15.	and pointing the same mortar including supply of all materials, labour, T.& GST).  Providing and fixing 40	1st loor P ing	14.40	Sqm.		
r r le 16. F	required size, approved shade, colour and texture laid over 20 mm thick ba mixed with matching pigment, epoxy touch ups, including rubbing, curin evels Area of slab up to 0.50 sqm. (Rate Including GST).	for of se nt, 7	2.96	Sqm.		
aı 7. Ta	nd polishing of cut edges etc. complete. (Rate Including GST).  aking out very carefully red sand stone floor members at a	g 16	5.00	Nos		
all Pr	I materials, Scaffolding labour T&P etc. (Rate Including GST).  be specified by the	d 36.	.00	Sqm.		
cer ma Pro	mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey atching pigments etc., complete. (Rate Including GST).	41.:	30	Sqm.		
Ste	el work. Hot finished welded type tubes in built up tubels. (Rate Including GST).	20.0	00	Rmt.		
prim (Rat Pain	her, including welding and bolted with special shaped washers etc. complete only with synthetic	619.9	)1	Kg.		
Prov 15 m	iding and fixing White Vitreous China Wash basin size 550x400 and 100 mm CP Brass size 550x400 and	28.86	5 5	Sqm.		
of fitt Rate	one CP Brass single hole basin mixer with C.I. brackets, 15 mm dia CP single hole basin mixer with C.I. brackets, 15 mm dia CP tings and brackets, cutting and making good the walls wherever required. Including GST).  g 5" dia for water harvesting 120' deep and make 3'x4' size 2' deep and tank for filtration of water and fulfill with gravels around 4" dia 120' processing 120' deep and tank (Rate Including GST).	28.00		Vos.		
naso	nry tank for the					THE RESERVE OF THE PARTY OF THE

## (TECHNICAL ELIGIBILITY CRITERIA) ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/

The tendering for execution of work Company/Firm/Agency/Contractor should submit the following documents (self-attested cor

No.	The firm/Agency about	RELEVENT DOCUMENT TO	E	nclosed Yes/No	PAGE NO. C
2.	The Firm/ Agency/ Control Governm	ent certificate to be	ion Y	es/No	Document
3.		Certificate	on Y	es/No	
<b>J</b> .	The Firm/Agency should have Income T Return for three financial year 2019-202 2020-2021 and 2021-2022 (A.Y. 2020-202 2021-2022 & 2022-2023).	20, financial year 2019 11, 2020, 2020-2021 and 2021-2022 (A	9- Y	es/No	
4.	Pan Card	2020-2021, 2021-2022 & 2022-2023	).		
5. f	The firm/agency should have average annual financial turnover for three financial year (2019-2020).	Copy of Pan Card should be provided Copy to be provided		s/No s/No	
s F is	should be at least 30% of the tender cost i.e. Rs. 8,80,214/ A certificate in this regard squeed by the CA has to be submitted.	not be valid).			
i.e 2- Cc i.e 3- les 23, An con yea	Three Similar nature of works of each osting not less than 40% of the tender cost in the strain of t	and its completion certificate to be provided to any Govt. Department	Yes	'No	
Bid	Security Declaration Certificate or	Copy to be provided.	Yes/N	0	
Ten	der acceptance Letter on letter head and claration Certificate of black listing.				

1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of PAGE NO. Of Bid Document will not be evaluated and may be rejected in Technical

2. The bidders are requested to enclose only required documents.

3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without

Similar Nature of Work Means:- The bidder should have the experience of Civil Works at Heritage Site/Heritage Building/Monuments.

AUTHORISED SIGNATORY

#### LEGAL:-

- 1- Vendor will be responsible for timely payment to the supplied manpower and statutory authorities and compliance of all statutory provisions relating to minimum wages/specified contract amount etc. In respect of the person deployed by it in the ASI. The agency has to submit the copy of deposit of EPF/ESI with concerned authority every month as an evidence of payment in accounts of person deployed.
- 2- The tendering agency shall also be liable for depositing all taxes, levies, cess etc. On amount of service rendered by it to the Archaeological Survey of India to the concerned tax collection authorities from time to
- 3- The Provision of the information Technology Act (IT Act) as amended from time to time will be applicable to the vendor and the employees assigned by the vendor to Archaeological Survey of India. Force Measure:-

1- Force measure clause will mean and be limited to the following in the execution of the contract/purchase order placed by Archaeological Survey of India, "if at any time, during the continuance of contract, the performance in whole or in part by either party of any obligation under this contract shall be prevented or deployed by reason of any war, hostility, act of public enemy, civil commission, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts or act of God (here in after referred to 'events') provided notice of the happening of such events is given by either party. This shall be reason enough to entitle both to terminate this contract and either party will not have any claim for damage against the other in respect of such non-performance or delay in performance. Deliveries under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist, and the decision of the Director General, Archaeological Survey of India as to whether the deliveries have been so resumed or not, shall be final or conclusive, provided further that is the performance is whole or part or any obligation under this contract is prevented or delayed by reason or any such event for a period exceeding

#### ARBITRATION:-

1- Archaeological Survey of India and the selected vendor shall make every effort to resolve amicably, by direct negotiation, any disagreement or dispute arising between them under or in connection with the work order. If any dispute arises between parties on aspects not covered by this agreement, or the construction or operation thereof, or the right or liabilities under these except as to any matters the decision of which is specially provide for by the general or the special conditions such dispute shall be referred to the arbitrator as appointed by Director General, Archaeological Survey of India and the award of arbitration, as the case may be, shall be final and binding on both the parties. The arbitrator with the consent of parties may modify the time frame for making and publishing the awards. Such arbitration shall be governed in all respects by the provision of the Indian Arbitration Act 1996 or later and the rules there under and any statutory modification or re-enactment, thereof. The arbitration

#### APPLICABLE LAW:-

1- The Work will be governed by the laws and procedures established by the Government of India, within the frame work of applicable legislation and enactment made from time to time concerning

### ADDITIONAL TERMS AND CONDITION:-

- 1. The successful bidder is responsible for adhering the norms of Pollution Control Board/Forest Department/TTZ during the execution of work. No material shall be stacked in any part of the road/approach of the road and approach pathway. Before stacking the material, the consultation may be done with the site in-charge and identify the space for the stacking of the material.
- 2. Only such quantity of the material will be kept at the site which require for work on daily basis to avoid inconvenience to the visitors. In case any additional stack of the material is found with the
- 3. After completion of work within 3 days, all the additional material kept on the site will be removed and the working area will be made in presentable condition same as it was before the start of the
- 4- Violation of the above referred terms and conditions in any project will lead debarment/black listing

# INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP 2)

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge. 3)
- As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used
- Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with 4) signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile. 5)
- Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token. SEARCHING FOR TENDER DOCUMENTS
- There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, 2)
- Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through SMS / e-mail in case there is any corrigendum issued to the tender document. 3)
- The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from PREPARATION OF BIDS 2)
- Bidder should take into account any corrigendum published on the tender document before submitting their Bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of
- Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded SUBMISSION OF BIDS 1)
- Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid 3)
- The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to
- The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.
- All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become The uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a Successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid
- The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used ASSISTANCE TO BIDDERS
- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting
- Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002

## TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

To.

Date:

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/TAJ/82/2022-2023/W (PIN CODE 282001)

NAME OF TENDER / WORK: - PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of PROVIDING DRINKING WATER FACILITIES AT EAST & WEST DALLAN OF TAJ MAHAL, AGRA.

2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms /

3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.

- 4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder) with Official Seal



## **DECLARATION**

1.	Firm mention - I Son/Daughter of Shri				
	Firm mentioned above, is competent to sign this	a do-l	- signato	ry of the a	igency/
	document	declaration	and exe	ecute this	tender
2.	I have carefully read and understand				

- 2. I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them:
- 3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry. Department of Government of India and Government of India undertaking in the last Three (3) Years as on date of opening of this Tender.
- 4. The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- 5. I/ We am/ are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law:

Signature of authorized person Full Name: Seal:

Date: Place:



	No. Item of work-ANNEXURE-I		Ųn	
1	charges required for execution of work.	ıri		
2	Providing & fittings of M.P. Valve Imported 1" with all accessories & labour charges required for execution of work.	2.0	00 Nos	
3	Providing & fittings of Micron filter highly 20" with h	20	00 Nos	
4	Providing & fittings of Micron filter big blue 20" with housing Impororted with all accessories & labour charges required for execution of work.	r		
	labour charges required for execution of work	2.0	0 Nos	
5	Providing & fittings of Row water pump Crompton/Kriloskar/Eq2.00HP with all accessories & labour charges required for execution of work.	1.0	0 Nos.	
6	Providing & fittings of Pump for cleaning SS with all accessories & labour charges required for execution of work.	1.00	Nos.	
7	Providing & fittings of Membrane (40 x 40) Devilor	1.00	Nos.	
8	charges required for execution of work.  Providing & fittings of Membrane Housing Maxima/Imported 2E with all accessories & labour charges required for execution of work.	4.00	Nos.	
9	Providing & fittings of Dozer Unit Insecta/Eq. with all accessories & labour charges execution of work.	2.00	Nos.	
10	execution of work.			
11	Supply of TDS Meter - Aquatek / Himtex/ Eq.  Providing & fittings of Flow meter - Fivebro / Himtex/ Eq. with all accessories & labour charges required for execution of work.		Nos.	
12	required for execution of work.  Providing & fittings of Processes	2.00	Nos.	
13	Providing & fittings of Pressure gauge meter Imported SS with all accessories & labour charges			
	Providing & fittings of Low Pressure Switch Imported with all accessories & labour charges required for execution of work.	4.00	Nos.	
14	Providing & fittings of Electric Panel Automatic with all accessories & labour charges required for execution of work.	1.00	Nos.	
15	Providing & fittings of Skid SS 304 for R.O. Plant with all accessories & labour charges required for execution of work.	1.00	Nos.	
16	S.S. Stand 65x65x6mm size angle size 8' high 5'x4' size plate form for pure weter text.	1.00	Nos.	
17	Providing & fittings of Solenoid valve 1" with all accessories & labour charges required for execution	150.00	Kg.	
18	Providing & fittings of Floty with all accessories & labour charges required for execution of work.	1.00	Nos.	
19	Supply & fixing of Pipe fitting UPVC with all accessories & labour charges required for execution of work.	2.00	Nos.	
20	work. Supply of Sand Media	1.00	Joh	
21	Supply of Carbon media	50.00	-	
22	Supply & fixing of Storage Tank 3000 ltr. (Triple layer) with all accessories & labour charges required for execution of work.	35.00	Kg.	
3	Supply & fixing of Storage Tank 1000 ltr - Rectangular (ISI) with all	3000.00	_tr.	
		1000.00 L	tr.	

