

Chicens like
onthern gurtan d
Superintendopolernationist
whiching with a walk of
Archaeological Superintial
and which, and all
Agra Circle Augus

SECTION-1 TABLE — A: TIME AND WORK FRAME

EXECUTION OF WORK

FOR THE WORK UNDER- REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA

MANUAL BIDS SHALL NOT BE ACCEPTED.

CRITICAL DATE SHEET

| 1. | Bid Start Date | | | | | |
|----|---|------------------------------------|--|--|--|--|
| | July Date | 16/12/2022 | | | | |
| 2. | Bid Document Download / Sale Start Date | | | | | |
| | Download / Sale Start Date | 16/12/2022 | | | | |
| 3. | Bid Submission Closing Date | | | | | |
| | Date | 22/12/2022at 15:00 | | | | |
| 4. | Technical Bid Opening Date | | | | | |
| | | 23/12/2022at 15:30 | | | | |
| 5. | Financial Bid Opening Date/Time | | | | | |
| | | After Opening Technical Bid | | | | |
| ô. | Validity of Bid | | | | | |
| | | 120 days from the date of opening. | | | | |

The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site https://eprocure.gov.in/eprocure/app as per the schedule as given in CRITICAL DATE SHEET.

2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

3. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.

4. Tender cost Of Tender: RS. 14,51,380/- (Rs. FORTEEN LAKHS FIFTY ONE THOUSAND THREE HUNDRED EIGHTY ONLY)

-: Contact Details:-

| Contact Person | SUPERINTENDING ARCHAEOLOGIST |
|---------------------------|--|
| Address for communication | SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD,AGRA |
| Contact No. | e-mail – circleagra.asi@gov.in 0562- 2227261 |

फायलिय Office of the अधीक्षण पुरासत्विचिड् Subanntending Arenaeologist भारतीय पुरातत्व सर्वक्षण Archaeological Survey of India आगरा मण्डल, आगरा Agra Circle, Agra




प्रत्नकीर्सिमपाव FILE NO-03/AGF/59/2022-2023/W **GOVERNMENT OF INDIA**

भारत सरकार

Office of the Superintending Archaeologist कार्यालय अधीक्षण पुरातत्वविद् Archaeological Survey of India भारतीय प्रातत्व सर्वेक्षण Agra Circle, 22 Mall Road, Agra 282001 आगरा मण्डल, 22 माल रोड, आगरा 282001

NOTICE INVITING TENDER निविदा आमंत्रण सूचना



अधीक्षण पुरातत्विविद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सीo पीo पीo पोर्टल के माध्यम से कार्य REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA हेतु भारतीय पुरातत्व सर्वेक्षण या केंद्र सरकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता है।

Eligibility Criteria: -

पात्रता मापदंड:-

- The firm/Agency should have registration in ASI / any Central Government Department for civil works.
- 20 क. फर्म / एजेंसी का सिविल कार्यों के लिये भारतीय पुरातत्व सर्वेक्षण / केंद्र सरकार के किसी भी विभाग में पंजीकरण होना
- 3. The firm/Agency should have GST registration.
- ख. फर्म / एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।
- 4. Pan Card.
- ग. पेन कार्ड।
- 5. The Firm/Agency should have income tax return for three financial year 2018-2019, 2019-2020 and 2020-2021. (A.Y. 2019-2020, 2020-2021, & 2021-2022).
- घ. फर्म / एजेंसी को तीन वित्तीय वर्ष 2018—2019, 2019—2020 एवं 2020—2021 (निर्धारण वर्ष 2019—2020, 2020—2021 एवं 2021-2022) का आयकर रिटर्न भरा होना चाहिये।
- 6. The firm/agency should have average annual financial turnover during three financial year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 4,35,414/-. A certificate in this regard issued by the CA has to be submitted.
- च. फर्म /एजेंसी के पास 3 वित्तीय वर्षों (2018—2019, 2019—2020 एवं 2020—2021)के दौरान औसत वार्षिक वित्तीय करोबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 4,35,414/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रुप में प्रस्तुत करना
- 7. The firm / agency should have experience for completion at least three similar nature of work at at Monuments/heritage sites costing not less than 40% of the tender cost i.e. 5,80,552/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 7,25,690/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 11,61,104/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022.
- छ. फर्म /एजेंसी को समान प्रकृति के तीन कार्य धरोहर स्थल/स्मारक पर निविदा राशि से 40 प्रतिशत से कम नहीं यानी रु0 5,80,552/- या दो समान प्रकृति का काम, निविदा राशि का 50 प्रतिशत से कम नहीं यानी रु० 7,25,690/- या एक समान प्रकृति का काम निविदा राशि का 80 प्रतिशत से कम नहीं यानी रु० 11,61,104/- का होना चाहिये और उन तीन कामों को पिछले सात वित्तीय वर्शों के दौरान पूरा किया जाना चाहिये यानी 2015-2016 से 2021-2022 के मध्य।
- 8. Copy of work order and completion certificate should be uploaded on CPP Portal as per tender
- ज. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सी० पी० पी० पोर्टल पर अपलोड की जानी चाहिये।

Subarintending Archaeotob भारतीय प्रशासक सर्वेशण Archaeofodfeal Survey of India वेशगरी मण्डल, आग्रंश Acre Cirete, Agre

Archaeologi

आगरा चुण्डल, आगाव

Agra Circle, Agra

The eligible Contractors may upload their tender documents online only at CPPP website: https://procure. gov.in/ eprocure /app. upto 15:00 hours of 22/12/2022which will be opened on dated 23/12/2022at 15:30

पात्र ठेकेदार केवल सी० पी० पी० वेबसाईट http://eprocure.gov.in/eprocure/app पर अपने जिनिवेदा देखांकेज दिनांक 22/12/2022at 15:00 तक ऑनालाइन अपलोड कर सकते हैं जो दिनांक 23/12/2022at 15:30 खोला जाएसा विवास

TENDER COST RS. 14,51,380/- (Rs. FORTEEN LAKHS FIFTY ONE THOUSAND THREE HUNDRED EIGHTY ONLY) अनुमानित राशि:- रु० 14,51,380/- (रु० चौदह लाख एकावन हजार तीन सौ अस्सी मात्र)

EARNEST MONEY RS. 36,285/- (THIRTY SIX THOUSAND TWO HUNDRED EIGHTY FIVE ONLY) अमानत राशि:- रु० 36,285/- (रु० छत्तीस हजार दो सौ पचासी मात्र)

(Exemption as per rules) (नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत राशि एफ0 डी0 आर0 के रुप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्वविद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 120 days which will be reckoned after fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पूरा होने के लिए अनुमत समय 120 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के बाद से माना जाएगा। उन ठेकदारों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्वविद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष

Conditions and tender forms can be downloaded from our ASI website www.asiagracircle.in and eportal eprocure.gov.in. w.e.f. 16/12/2022 to 22/12/2022upto 15:00 hours of each day.

निविदा शर्तें एवं प्रपत्र हमारी वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. से दिनांक 16/12/2022 से दिनांक 22/12/2022upto 15:00 बजे तक डाउनलोड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 23/12/2022AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीकि बोलियां बोलीदाताओं के अधिकृत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रुप से उपस्थिति में दिनांक 23/12/2022 को 15:30 बजे खोली

Tender documents are available in the ASI website www.asiagracircle.in and e-portal eprocure.gov.in. The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date

भारतीय पुरातत्व सर्वेक्षण, आगरा की वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकि निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में अमानत

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all parties in all circumstances.

भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने या वापस लेने या किसी भी नोटिस दिए बिना या कोई कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस सम्बंध में भारतीय पुरातत्व सर्वेक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा।

फार्चालय Office of the अधीकाण पुरस्तत्वविद् Superintensing Archaeologist नामान विशासन मानुकार्य Archaeological Survey of India श्रीपण भण्डल, आदव

NAME OF WORK: REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA

| | | | RA FORT |
|--------------|--|---|---------------|
| No. 1. | Description of Execution of work | 62 | Qty. |
| | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work. (Rate Including G.S.T.) | 1 147 05 | Polical & |
| 2. | Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: One or more coats on old work. | Agree 1 | Sqm Sqm |
| 3. | having antibacterial /germs free ceramic surface (%) having antibacterial /germs free ceramic surface (%) | | |
| 4. | Providing and fixing stone slab with table rubbed, edges rounded and polished, of size 75x50 cm deep and 1.8 cm thick fixed is | | Nos |
| 5. | appropriate width with chase cutter and embedding the stone in the chase with epoxy aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished | 1.88 | Sqm |
| | brackets, 15 mm C.P. Brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever of 15 mm C.P. brass pillar taps with elbow including operated levers. (Rate Including G.S.T.) | 7.00 | Nos |
| 6. | Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :W.C. pan with ISI marked white solid plastic seat and lid. (Rate Including G.S.T.) | 8.00 | Nos |
| | Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors with integral type foot rests. (Rate Including G.S.T.) | 7.00 | Nos |
| | mm thick in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. including Labour for carriage of material from stock at Road Side to Site of Work approx distance 300 mt. 8 lift upto 20 mt. (P. to the stock at Road) | 0.90 | Cum |
| 1 | metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately) : (Rate Including G.S.T.) | 14.61 | Sqm |
| E | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge. (Rate Including G.S.T.) | 0.11 | Cum |
| 5 | Dismantling stone/ granite slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Rate Including G.S.T.) | 5.35 | Sqm |
| 2. [| Dismantling tile work in floors, walls and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm. (Rate Including 3.S.T.) | 317.29 | Sqm |
| tl a p | Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, Size of Tile 600x600 mm glazed vitrified tiles matt/ Antiskid inish etc. complete. (Rate Including G.S.T.) | 79.63 | Sqm |
| | Providing and fixing 1st quality ceramic glazed wall tiles conforming to 1S: 15622 | A TO STATE OF THE PARTY OF THE | Office of the |

| PERMIT | | | |
|----------|---|--|-----|
| 15. | (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement in white cement mixed with grey cement slurry @ 3.3kg per sqm, including pointing G.S.T.) Providing and laying Polished Granite stone in required design and patterns, in linear as well as curvilinear portions of the building all complete as part the section. | Onto the control of t | |
| 16. | with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement slurry admixed with pigment of matching shade including rubbing, curing and Charge. Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent (Rate Including G.S.T.) | Shron | Sqm |
| | Dismantling wood work in frames, trusses, purlins and rafters up to 10 metres span and 5 metres height including stacking the material within 50 metres lead :Of sectional area below 40 square centimetres. (Rate Including G.S.T.) | 18.90 | Rmt |
| 17. | wrought framed and fixed in position with hold fast lugs or with dash fasteners of separately). Second class teak wood (Pate Install) | 0.18 | Cum |
| 9. | decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face mica veneers on both faces of shutters.35 mm thick including ISI marked Stainless Steel butt | 20.25 | Sqm |
|).). | 32mm dia 20 mtr) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge (Rate Including C.S.T.) | 2.00 | Nos |
|). . | carriage of material from stock at Road Side to Site of Work approx distance 300 mt. (Rate Including G S T) | 2.25 | Sqm |
| | Toilet Blocks at Agra Fort (List Englosed) (Parts In 1997) | 1.00 | |
| 2. | Total for purchase of Sanifary materials and fittings for Tail 1 Di | | Job |
| 3. | Septic tank cleaning charge size of 6.00v3.00v3.50 mts. (1:1.5 | 1.00 | Job |
| 1. | | 1.00 | Job |
| | Picking up & scraping the old surface of cement concrete in roof terracing and applying 25 mm layer of cement concrete 1:2:4(1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate zero size derived from natural sources). (Rate Including G.S.T.) | 85.95 | Sqm |

1- All documents to be uploaded in CPPP portal properly.

2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest bid of all the items.

3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely High or Extremely Low) the Same will not be considered and will be rejected at Financial Stage.

Jes Superintending Archaeologist

TERMS AND CONDITION FOR SUBMISSION OF TENDER

1. Tenders are hereby invited on behalf of the President of India. for the work under Tender cost of RS. 14,51,380/- (Rs. FORTEEN LAKHS FIFTY ONE THOUSAND THREE HUNDRED EIGHTY ONLY)

2. Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conductive of the various items of work to be done, and the set of conductive of the various items of work to be done. contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website- www.asiagracliclerip.adders 2 (a) The site of the work is available, or the site for the work shall be made available by the department.

1. The Contractors should upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app upto 15:00 hours of 22/12/2022 which will be opened on dated 23/12/2022 at 15:30 hours.

The time allowed for the work will be 120days which will be reckoned after fifteen days from the date of issue of order to commence work.

3. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals

4. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate contractors the rates or the amounts tendered should by attested by a witness.

5. Issue of tender form will be stopped one days before the date fixed for opening of tender.

6. Earnest money amounting of RS. 36,285/- (THIRTY SIX THOUSAND TWO HUNDRED EIGHTY FIVE ONLY)

(unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender The contractor whose tender is accepted (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract

7. The contractor whose tender is accepted (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract.

I) In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.

II) In the case of works costing more than Rs.1,00,000/- and upto 2,00,000/- to 10% on the first Rs.1,00,000/- and 7 % on the balance.

8. The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeologist, Archaeologist, Archaeologist, Archaeologist, Archaeologist, Survey of shape of Government securities. Fixed deposit receipt of schedule banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve

9. The right of acceptance of a tender will be with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA,

AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection

12. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.

13. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge

14-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and only should be written closely following the amount and it should not be written closely following the amount and it should not be written closely following the amount and it should not be written in the next line.

only should be written closely rollowing the amount and it should not be written closely rollowing the amount and it should not be written closely rollowing the amount and it should not be written and reserves to himself the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at the rates quoted.

16. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect 15. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not emertain any claim what Government and Table 17. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an account of the contract o officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.

18. The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest

19. Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so.

20. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection

21. The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender. Should this tender be accepted, I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. is herewith forwarded in F.D.R. vide No.

that the said President of India or his successor in office shall/without prejudice to any other right or remedy, shall be retained by him towards such security deposit. I/we further agree that the said President of India or his successor in office shall also be at liberty to cancel the acceptance of the tender if I / we fail to deposit security amount as

SIGNATURE AND ADDRESS OF CONTRACTOR

PAN No. -: Phone No .--Signature & address of witness to signature of tenderer.

Mob. No. :----

The above tender is hereby accepted by me on behalf of the President of India

Signature of the officer by whom THE TENDER IS ACCEPTED

> Shise of the Supporter Hing Arenauologist भारतीय प्रशिक्षय सर्वेकाण Archaeological Survey of India आगरा भण्डल, आगरा Agra Circle, Agra



Office of the भी क्षेत्र पुंचतस्वित् Superial public artistization भारतीय प्रशास सर्विता Archaeologicm beit/es/offlinder क्षामास मण्डल, लागमा Agra Cirola Man

> आगरा यण्डल, आगस Astro Clanto

FILE NO-03/AGF/59/2022-2023/W **GOVERNMENT OF INDIA** OFFICE OF SUPERINTENDING ARCHAEOLOGIST ARCHAEOLOGICAL SURVEY OF INDIA AGRA CIRCLE, THE 22 MALL ROAD, AGRA

NAME & ADDRESS OF CONTRACTOR

DATE OF OPENING: 23/12/2022at 15.30 Hrs.TENDER DOWNLOADED TILL 22/12/2022at 15.00 Hrs. NAME OF WORK: REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contractor: -

MEMORANDUM

- (I) EARNEST MONEY RS. 36,285/- (THIRTY SIX THOUSAND TWO HUNDRED EIGHTY FIVE ONLY)
- (II) SECURITY DEPOSIT Rs. 79,569.00 (Rs. SEVENTY NINE THOUSAND FIVE HUNDRED SIXTY NINE) ONLY.
- (III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) ---(IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government
- (V) PLACE OF WORK- AGRA FORT, AGRA.

| NO 1. | Description of execution of work | Qua | ntity | Rate (in | Tota amount |
|----------|--|--------|-------|--|--|
| | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :One or more coats on old work. (Rate Including G.S.T.) | 147.35 | Sqm | words) | (in words |
| 3. | Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: One or more coats on old work. (Rate Including G.S.T.) Providing & fixing white vitreous chips water less. | 97.19 | Sqm | | |
| 4. | Providing & fixing white vitreous china water less urinal of size 600 x330 x 315 mm having antibacterial /germs free ceramic surface, fixed with cartridge having debris catcher and hygiene seal. (Rate Including G.S.T.) | 6.00 | Nos | | |
| 5. | size 75x50 cm deep and 1.8 cm thick, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth. Granite Stone of approved shade. (Pate Institution 2.2.7.) | 1.88 | Sqm | | |
| | C.I. brackets, 15 mm C.P. Brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Surgeon type wash basin of size 660×460 mm with a pair of 15 mm C.P. brass pillar taps with elbow including operated levers. (Rate Including G.S.T.) | 7.00 | Nos | | |
| | Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid. (Rate Including G.S.T.) | 8.00 | Nos | | |
| | mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests. (Pate Including C.S.T.) | 7.00 | Nos | | |
| | upto 75 mm thick in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. including Labour for carriage of material from stock at Road Side to Site of Work approx distance 300 mt. & lift upto 80 mt. (Rate Including G.S.T.) | 0.90 | Cum | | |
| | Stone work 40 mm thick (machine cut edges) for wall lining etc. (veneer work) up to 10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately) : (Rate Including G.S.T.) | 14.61 | Sqm | on the state of th | लय of the wared विद् ratiooogist त्रव राजसाम |

| 10 | Dew Kill | | | 0 | tice of the |
|-------------------|--|---------|-------|----------------|--------------------|
| 11 | The straining IV. C. C. Work Manifally/ by mochanical | . 1 | | Sales Contract | DAMES OF |
| | direction of Engineer - in- charge (Pate Institution 20 The Institutio | 0.11 | Cum | Trest. | dho Archaeoloo |
| 11 | Dismantling stone/ granite slab flooring laid in | | | chaeolo, | A STREET THE PARTY |
| | Dismantling stone/ granite slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Rate Including G.S.T.) | | | 6/14/6/ | The Part of the |
| | (Rate Including G.S.T.) | 5.35 | Sqm | Agra | O TO STATE |
| 12 | Dismantling tile west in the | 0.00 | Sqiii | | 77.746000 |
| | biolitariting the Work in Hoore walls and roofs laid: | 1 | | | |
| | stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm. | 047.00 | | | |
| | | | Sqm | | |
| 13 | The stand and leaville Allined the in the standard the st | | | | |
| | | | | | |
| | | | | | |
| | shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477 in average 6 mm third. | 79.63 | 0 | | |
| | based) conforming to IS: 15477 in average O | 79.63 | Sqm | | |
| | based) conforming to IS: 15477, in average 6 mm thickness, Size of Tile 600x600 mm glazed vitrified tiles matt/ Antiskid finish etg. apprelate (P. Size of Tile 600x600 | | | | |
| 14. | mm glazed vitrified tiles matt/ Antiskid finish etc. complete. (Rate Including G.S.T.) Providing and fixing 1st quality coramic glazed well tile. | | | | |
| | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufactures) | | | | |
| | (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy bottle green block of approved make, in all colours, | | | | |
| | | | | | |
| | in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and disjective in the coarse sand and disjectiv | | | | |
| | | 233.16 | Sqm | | |
| | | | | | |
| | | | | | |
| 15. | Providing and laying Polished Granite stone in required design and patterns, in linear as well as curvilinear portions of the hill in the stone in required design and patterns, in | | | | |
| | linear as well as curvilinear partiages from in required design and patterns, in | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | 5.35 | Sqm | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 16. | Districting wood work in frames trusses purling and reference to | | | | |
| | | | | | |
| | sectional area below 40 square centimetres. (Rate Including G.S.T.) | 18.90 | Rmt | | |
| 17. | Providing wood work in frames of deers (Rate including G.S.T.) | | | | |
| | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in resilience. | - 11111 | | | |
| | | | | | |
| ME I | Transfer of required tild to the time of dock footage in the | 0.18 | Cum | | |
| 10 | | | | | |
| 18. | Toylully and lixing is marked flush door shuttors conforming to the construction | | | | |
| | | | | | |
| | | | | | |
| | Total of both laces of shifters in mm thick including let many the | 20.25 | Sqm | | |
| | Steel butt hinges with necessary screws. (Rate Including G.S.T.) | | | | |
| 19. | Providing and fiving Chlorinated Polymins (Nate including G.S.1.) | | | | |
| | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, (20mm dia 55 mtr. 32mm dia 20 mtr.) having thermal attailité (CPVC) pipes, (20mm dia 55 | | | | |
| | | | | | |
| | of the pidit of pides illed the illings included to the state of the | 2.00 | Nos | | |
| | The stop of vo solvell celled frenching retiling a tooting of initial | 2.00 | 1405 | | |
| | | | | | |
| -0. | Floriding 20mm cement plaster 1:2 (1 cement : 2 stone dust) infanting to | | | | |
| | salinage of material morn stock at Road Side to Site of Mork approximation | | | | |
| The second second | ····· · · · · · · · · · · · · · · · · | 2.25 | Sqm | | |
| 21. | Provision for purchase of electric occurrence to the second | | | | |
| | Provision for purchase of electric equipments/ materials and fittings for proper upkeep of Toilet Blocks at Agra Fort (List Frods 2007) | 1.00 | leh | | |
| Section 1 | Through of foliat blocks at Aula Foliation of the line in a company | 1.00 | Job | | |
| | Tovision for pulchase of Sanitary materials and fittings for Toilet District | | | | |
| | or (Elst Eliciosed) (Rate inclination (4.8.1.) | 1.00 | Job | | |
| 23. | Septic tank cleaning charge size of 6 00x3 00x2 50 mtr. (List England) (D.) | | | | |
| | morading 0.5.1.) | 1.00 | Job | | |
| 24. | Picking up & scraping the old surface of cement concrete in real to a | | | | |
| | applying 40 milliavel of cement concrete 1.7.4/1 comont of course | | | | |
| | derived from natural sources: 4 graded stone aggregate zero size derived from | 85.95 | Sqm | | |
| | natural sources). (Rate Including G.S.T.) | | oqiii | | |
| | (take moldaling G.G.T.) | | | | |

SIGNATURE OF CONTRACTOR

Suppression generalist Suppression general vistand frehaeological Survey of India array vista, survey those Circle, Agre

(TEHNICAL ELIGIBILITY CRITERIA) ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENC CONTRACTOR

The tendering for execution of work Company/Firm/Agency/Contractor should submit the

following documents (self-attested copy)

| SI. NO. | | RELEVENT DOCUMENT TO BE PROVIDED | Enclosed Yes/No | PAGE NO. Of Bid Document |
|------------------------------------|--|--|--------------------|--------------------------------|
| | The firm/Agency should have registration in ASI / any central Government department for civil work. | Copy of Registration certificate to be provided | Yes/No | Bocament |
| 2. | The Firm/ Agency/ Contractor should be registered with GST. | Copy of Registration Certificate to be provided | Yes/No | |
| 3. | The Firm/Agency should have Income Tax Return for three financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022). | Copy of I.T.R for financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022). | Yes/No | |
| 4. 5. | Pan Card | Copy of Pan Card should be provided | Yes/No | |
| | The firm/agency should have average annual financial turnover for three financial year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 4,35,414/ A certificate in this regard issued by the CA has to be submitted. | Copy to be provided. | Yes/No | |
| | The firm / agency should have experience for completion of at least three similar nature of work at monument /heritage sites costing not less than 40% of the tender cost i.e. 5,80,552/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 7,25,690/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 11,61,104/ and those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022. | Copy of work order and its completion certificate to be provided | Yes/No | |
| | or Bid Security Declaration Certificate, | Copy to be provided. | Yes/No | |
| | Tender acceptance Letter on letter head and Declaration Certificate of black listing. | Copy to be provided. | Yes/No | |

1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of PAGE NO. Of Bid Document will not be evaluated and rejected in Technical Stage.

2. The bidders are requested to enclose only required documents.

3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without Copy of Work Order will not be considerd.

> कार्यालय Office of the AUTHORISED SIGNATORY मानस्य में स्टब्स्य सद्धांण Aschaeological Survey of India Ages Crose, Ages

INSTRUCTIONS FOR ONLINE BID SUBMISSION

Office of the में बाबा पुराताच The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app. REGISTRATION

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal https://eprocure.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge. (URL:
- As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used 4)
- Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile. 5)
- Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token. SEARCHING FOR TENDER DOCUMENTS
- There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from PREPARATION OF BIDS

- Bidder should take into account any corrigendum published on the tender document before submitting their Bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of
- Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process. SUBMISSION OF BIDS
- Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.
- The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the Bidder, the Bid will be rejected.
- The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.
- All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid
- The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used as an entry pass for any Bid opening meetings. ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002

अधीतम् इन्नस्वविद् Superintersing Astronomytes With the state of the state of Archaeological Survey of India आगह मुख्या अस्ति Agra Cirole, Agra

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Supanillari sarkanda Supanillari sarkanda Supanillari sarkanda Sukan Date: Inhabologist Archaeological Sumayer ingla Agra Circle, Agra

To,

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/AGF/59/2022-2023/W (PIN CODE 282001)

NAME OF TENDER / WORK: - REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA
Dear Sir.

1. If We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of REPAIR. UP-GRADATION AND MAINTENANCE OF TOILET BLOCK, AGRA FORT, AGRA.

2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.

- 4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder) with Official Seal

Office of the Office of the Superintending Archaeologist Archaeologist Terror Telepologist Archaeologist Survey of India Archaeologist Cincin Archaeologist Archaeologist Archaeologist Survey of India Archaeologist Cincin Archaeologist Archa

DECLARATION

| 1. | I, Son/Daughter of Shri signatory of the agreed |
|----|---|
| | Firm mentioned above, is competent to sign this declaration and execute this tender |
| | document document |
| 2 | have asset if |

- 2. I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them:
- 3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry, Department of Government of India and Government of India undertaking in the last Three (3) Years as on date of opening of this Tender.
- 4. The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- 5. I/ We am/ are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law:

Signature of authorized person Full Name: Seal:

Date: Place:

